Carson-Newman University MATH 201 Test 2, Spring 2020

Directions:

- You may use your calculator, book, notes, or any resource linked to from the course webpage.
- Do not seek help from any other individual, whether in person or electronically.
- Compose an email with your answers as described in the class announcements page.
- To receive full credit, you must show all relevant work (and calculator commands) to justify your answer.
- Clearly identify your final answer, correct to at least 3 significant digits.
- Use notation as described in class.

Honor Pledge: I pledge that I will neither give nor receive unauthorized help on this test from any person, technology, or other resource, and that I will abide by the honor code of Carson-Newman University.


Signed: _____

- 1. The Easter bunny leaves your family a dozen chocolate covered eggs.
 - 5 are filled with peanut butter
 - 4 are filled with vanilla creme
 - 3 are filled with caramel

But you can't tell which is which. Your mom lets you pick two eggs without replacement.

- (a) Find the probability that both are peanut butter.
- (b) Find the probability that at least one is peanut butter.
- (c) Find the probability that the two eggs have different fillings, i.e. not (PP or VV or CC).
- 2. Assume these given probabilities, and that the events are independent.
 - Alabama beats Tennessee P(A) = .85
 - Biden becomes president P(B) = .32
 - (a) Find the probability of both A and B.
 - (b) Find the probability of neither A nor B.
 - (c) Find the probability of either A or B.
- 3. Suppose there is a remote chance that a tornado hits your house this month. Say the estimated probability is p = 0.0000078. You could write that probability as one out of _____.

- 4. The nutrition lab wants to estimate the number of calories in a muffin. If the standard deviation in caloric readings of individual muffins is $\sigma = 40$, then find the standard error if we average the caloric readings of 5 muffins.
- 5. Here is a scatterplot of COVID-19 contagion rate (y) versus the average daily temperature (x degrees celcius) for a sample of individuals tracked in various Chinese cities.



- (a) Find the slope.
- (b) Find the correlation.
- (c) Use the linear model to find \hat{y} in a warm climate with x = 28 degrees celcius.
- (d) Would that prediction be considered (intepolation) or (extrapolation) ?
- 6. Suppose a COVID-19 test has a 8% false positive rate, meaning there is an 8% chance that somebody who does NOT have the virus will test postive anyway. If 50 such people get tested, model the number of false positives as $X \sim BI(50, 0.08)$; assume independence.
 - (a) Find the expected value of X.
 - (b) Find $P(X \ge 5)$.
- 7. Suppose John's time to finish a sprint is $X \sim N(500, 35)$ seconds.
 - (a) Find the 99th percentile time; write your answer as minutes : seconds.
 - (b) Find the z-score of 8 minutes.
 - (c) Find the probability he finishes in under 8 minutes.

8. This table shows the probability distribution of X, the week of the year in which Jefferson City, TN has its last frost.

x	PDF	CDF
12		.06
13		.22
14		.43
15		.71
16		.86
17		.97
18		1

(a) Complete the table

- (b) Find the expected value of X. (do not round)
- (c) Find P(X > 15).
- (d) Find P(X > 15 or X = 12).
- (e) Find P(X > 15 and X = 12).
- 9. Let X be the week of the year when Jeff City gets their last frost, and let Y be the week of the year when Nashville gets their last frost. Do you think X and Y are independent? Explain with a brief paragraph.